

# ACTARA

## Section 24(c) Special Local Need Label

**DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO**

**ACTARA™**

EPA Reg. No. 100-938  
EPA SLN No. ID-020004

**FOR CONTROL OF APHIDS IN POTATOES**

Active Ingredient:	
Thiamethoxam (CAS No. 153719-23-4) .....	25.0%
Other Ingredients: .....	75.0%
Total: .....	100.0%

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY  
RESULT IN POOR WEED CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

---

#### DIRECTIONS FOR USE

---

Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered Actara label.

This label must be in the possession of the user at the time of application.

## Recommended Application

CROP	PEST	RATE PER ACRE PER APPLICATION	REMARKS
<b>TUBEROUS &amp; CORM VEGETABLES</b> Potato	Aphids	3 oz/A	Apply before pests reach damaging levels.
<b>Remarks:</b> Do not exceed a total of 3.0 oz of Actara (0.046 lbs. a.i.) per acre during each growing season. Do not apply closer than 14 days before harvest (14 day PHI). Use sufficient water volume to ensure thorough coverage of foliage. Do not use less than 10 GPA for ground applications or 5 GPA for aerial applications. Applications may be made through sprinkler irrigation systems including: center pivot, lateral move, end tow, side (wheel) roll, travelers, big gun, solid set, or hand move. Refer to the EPA registered label for Actara, EPA Reg. No. 100-938, for directions for use.			

## Rotational Restrictions

Treated areas may be replanted immediately following harvest, or as soon as practical following the last application, with any crop listed on the federally approved Section 3 container label or to sorghum, wheat, barley, and canola. Any cover crop planted for erosion control or soil improvement may be planted as soon as practical following the last application. However, the cover crop may not be grazed or harvested for food or feed. For all other crops, a 120 - day plant-back interval must be observed.

## Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to inter-tidal areas below the mean high water mark. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

**Bee statement:** This product is toxic to bees exposed to direct application or to residue on blooming crops and weeds. Do not apply this product or allow it to drift onto blooming plants if bees are foraging in the treated area.

## Ground Water Advisory

Thiamethoxam has properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow may result in ground water contamination.

Actara™ trademark of Syngenta

©2001 Syngenta

Syngenta Crop Protection, Inc.  
P. O. Box 18300  
Greensboro, North Carolina 27419-8300

FN:: IDActaraPotatoSLNLbl 6-1-01